


Intended use

Mipa 2K Reaktivzusatz VR (2K-accelerator-thinner) used to speed up the drying process of Mipa 2K-paints. For example, Mipa OC, Mipa PUR HS and all Mipa 2K clearcoats. Recommended especially at low temperatures. It improves considerably through drying at room temperature without reducing the dust dry time. To be used instead of Mipa 2K Thinner.

Attention: Pot life is reduced by half.

Processing instructions



Mixing ratio

by weight (lacquer : acellerator)

by volume (lacquer : acellerator)

see tech sheet basic product

--



Hardener

see tech sheet basic product



Pot life

see tech sheet basic product



Thinner

add instead of thinner. (See tech sheet of basic product.)

Storage: at least 2 years in unopened original container

VOC Regulation: VOC as packaged:
less exempt solvents 889 g/l / 7.4 lb/gl
with exempt solvents 889 g/l / 7.4 lb/gl

Always check local VOC laws to ensure that the use of Mipa products is compliant in your area.

Special notes: It is not recommended to add Mipa 2K-Reaktivzusatz VR in matted 2K paints or clearcoats, because the reduced pot life may cause patches on the coating during drying.

For professional use only. Not for sale to or use by the general public.
Before opening the packages be sure you understand the warning Messages on the Labels and Safety Data Sheets of all components since the mixture will have the hazards of all of its parts. The manufacturer recommends the use of an air supplied Respirator when exposed to vapors or spray mist.

Medical Response:
Emergency Medical or Spill Control Information 011 49(0)700 24112112 (MIP)
US Emergency Phone Number (for transportation incidents only) 1-800-535-5053 (Infotrac)

Exclusive Importer: Fleetwood Products
3 American Way, Suite 15, Spotswood, NJ 08884 www.mipa-usa.com
fleetwood@mipa-usa.com. 732-416-9590 Phone, 732-416-9592 Fax.

Version: US 0418

This technical data sheet is supplied for informational purposes only! According to our information, all data and recommendations correspond to the state of art and are based on years of experience in manufacturing our products. They do not exempt the user from his obligation to verify professionally, on his own responsibility, the suitability of our products to the intended purpose under prevailing conditions. Safety data sheets and warnings on packaging must be observed. We reserve the right to modify and to complete the information content at any time, without prior notice or obligation to update.