

1 Identification

- · Product identifier
- · Trade name: Mipa 2K-MS-Hardener MS 40 LV
- · Application of the substance / the mixture Hardening agent/ Curing agent
- · Details of the supplier of the safety data sheet
- *Manufacturer/Supplier: MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0 Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com www.mipa-paints.com* • *Emergency telephone number:*

Fleetwood Products Inc. 13 American Way Suite 15 USA - NJ 08884 Spotswood Tel.: +1 7324169590 e.mail: fleet089@hotmail.com

Reviewed on 08/22/2024

US Emergency Telephone Number (for transportation incidents only): 1-800-535-5053 (Infotrac)

Safety Data Sheet

acc. to OSHA HCS

2 Hazard(s) identification

US: +1 872 5888271 (MIP)

· Classification of the substance or mixture

International: 011 49(0)700 24112112 (MIP)



Flammable Liquids 3

H226 Flammable liquid and vapor.



Sensitization - Skin 1 H317 May cause an allergic skin reaction. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

4-chloro-alpha,alp Hexamethylene di • Hazard statemen H226 Flammable H317 May cause d	
 Precautionary st 	atements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	(Contd. on page 2)

(Contd. on page 2)

- USA



Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

(Contd. of page 1) P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a poison center/doctor if you feel unwell. · Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 2Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 0 Health = 0Fire = 2FIRE 2 REACTIVITY 0 Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

Safety Data Sheet

acc. to OSHA HCS

3 Composition/information on ingredients

• Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	50-100%
28182-81-2	Hexamethylene diisocyanate, oligomers	25-50%
123-86-4	n-Butyl acetate	2.5-<5%
112-07-2	2-Butoxyethyl acetate	2.5-<5%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

(Contd. on page 3)



Safety Data Sheet

acc. to OSHA HCS

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

- **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
28182-81-2	2 Hexamethylene diisocyanate, oligomers	7.8 mg/m ³
123-86-4	4 n-Butyl acetate	5 ppm
112-07-2	2 2-Butoxyethyl acetate	15 ppm
PAC-2:		
28182-81-2	2 Hexamethylene diisocyanate, oligomers	2.9 mg/m3
123-86-4	4 n-Butyl acetate	200 ppm
112-07-2	2 2-Butoxyethyl acetate	35 ppm
· PAC-3:		
28182-81-2	2 Hexamethylene diisocyanate, oligomers	17 mg/m3
123-86-4	4 n-Butyl acetate	3000* ppm
112-07-2	2 2-Butoxyethyl acetate	210 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

· Further information about storage conditions: Keep receptacle tightly sealed.

· Storage class: 3

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-86-4 n-Butyl acetate

- PEL Long-term value: 710 mg/m³, 150 ppm
- REL Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm
- TLV Short-term value: 150 ppm Long-term value: 50 ppm

112-07-2 2-Butoxyethyl acetate

- REL Long-term value: 33 mg/m³, 5 ppm
- TLV Long-term value: 20 ppm
 - A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Breathing equipment:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

- USA

Printing date 08/22/2024





Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

(Contd. of page 4)

- · Breakthrough time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

 Information on basic physical and c General Information 	chemical properties
Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor: · Odor threshold:	Characteristic Not determined.
pH-value:	Not determined.
	Not dotornimou.
 Change in condition Melting point/Melting range: 	Undetermined
Boiling point/Boiling range:	139 °C (282.2 °F)
Flash point:	39 °C (102.2 °F) (DIN 53213)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	280 °C (536 °F) (DIN 51794)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explos air/vapor mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 50 °C (122 °F):	38.6 hPa (29 mm Hg)
Density at 20 °C (68 °F):	1.233 g/cm³ (10.289 lbs/gal) (DIN 53217)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	N / / / / / /
Dynamic:	Not determined.
Kinematic at 20 °C (68 °F):	10-15 s (DIN 53211/4)
Solvent content:	0.70.0/
VOC content:	6.70 %
	174 g/l / 1.4 lb/gal



Safety Data Sheet

acc. to OSHA HCS

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

(Contd. of page 5)

Solids content (weight-%):

36.3 %

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene

· NTP (National Toxicology Program)

None of the ingredients is listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

2B

⁻ USA

(Contd. of page 6)

Professional Coating Systems

Printing date 08/22/2024

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods


· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Safety Data Sheet

acc. to OSHA HCS

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.





Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

	(Contd. of page
Label	3
Class	3 Flammable liquids
Label	3
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	Product contains environmentally hazardou substances: 4-chloro-alpha,alpha,alpha trifluorotoluene No
	Yes (DOT)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 30 F-E, <u>S-E</u> A
<i>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i>	Not applicable.
Transport/Additional information:	
DOT Remarks:	Special marking with the symbol (fish and tree).
ADR Limited quantities (LQ)	5L
IMDG Limited quantities (LQ)	5L
UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, II ENVIRONMENTALLY HAZARDOUS

Safety Data Sheet

acc. to OSHA HCS

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

• Section 313 (Specific toxic chemical listings):

112-07-2 2-Butoxyethyl acetate

Proposition 65

· Chemicals known to cause cancer:

98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 9)

USA

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/22/2024

-

None of the ingredients is listed.

Professional Coating Systems Printing date 08/22/2024

L Γ

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
112-07-2 2-Butoxyethyl acetate	A3 2.5-<5%
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized Sys Hazard pictograms	stem (GHS).
GHS02 GHS07	
· Signal word Warning	
 Hazard-determining components of labeling: 4-chloro-alpha,alpha,alpha-trifluorotoluene Hexamethylene diisocyanate, oligomers Hazard statements H226 Flammable liquid and vapor. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/fa P303+P361+P353 If on skin (or hair): Take off immediately all contaminated with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comforts P312 Call a poison center/doctor if you feel unwell. National regulations: Additional classification according to Decree on Hazardous Materials: 	ce protection. I clothing. Rinse ski
Class Share in %	
NK 50-100	
· Chemical safety assessment: A Chemical Safety Assessment has not been of	carried out.
16 Other information This information is based on our present knowledge. However, this shall not o for any specific product features and shall not establish a legally valid contract	

- · Contact:
- · Date of preparation / last revision 08/22/2024 / -
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

USA

ſ pq Professional Coating Systems

Printing date 08/22/2024

Safety Data Sheet acc. to OSHA HCS

Reviewed on 08/22/2024

Trade name: Mipa 2K-MS-Hardener MS 40 LV

)	(Contd. of page
	ICAO: International Civil Aviation Organisation
1	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concernir
	the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	DOT: US Department of Transportation
	IATA: International Air Transport Association
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	NFPA: National Fire Protection Association (USA)
	HMIS: Hazardous Materials Identification System (USA)
	VOC: Volatile Organic Compounds (USA, EU)
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	NIOSH: National Institute for Occupational Safety
	OSHA: Occupational Safety & Health
	TLV: Threshold Limit Value
	PEL: Permissible Exposure Limit
	REL: Recommended Exposure Limit
	Flammable Liquids 3: Flammable liquids – Category 3
	Sensitization - Skin 1: Skin sensitisation – Category 1
	Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3
	* Data compared to the previous version altered.
A —	• •