acc. to OSHA HCS



Printing date 06/28/2021

Reviewed on 06/21/2021

Fleetwood Products Inc.

Tel.: +1 7324169590

13 American Way Suite 15 USA - NJ 08884 Spotswood

e.mail: fleet089@hotmail.com

1 Identification

- · Product identifier
- · Trade name: Mipa EP-Accelerator
- · Application of the substance / the mixture Hardening agent/ Curing agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MIPA SE Am Oberen Moos 1 D-84051 Essenbach Tel.: +49(0)8703-922-0

Fax.: +49(0)8703-922-100 e-mail: sdb-registratur@mipa-paints.com

www.mipa-paints.com

Emergency telephone number: 011 49(0)700 24112112 (MIP)

US Emergency Telephone Number (for transportation incidents only): 1-800-535-5053 (Infotrac)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

2,4,6-tris(dimethylaminomethyl)phenol

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

(Contd. on page 2)

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



Health = *3Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

50-100%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:

All components have the value 6.5 mg/m³.

PAC-2:

All components have the value 72 mg/m³.

PAC-3:

All components have the value 430 mg/m³.

7 Handling and storage

- Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 8 A
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Breakthrough time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical	and chemical	properties
-------------------------------	--------------	------------

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 11.3

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: >200 °C (>392 °F)

• Flash point: >110 °C (>230 °F) (DIN EN ISO 1523:2002)

Flammability (solid, gaseous): Not applicable.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

(Contd. on page 5)

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

	(Contd. of page
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 50 °C (122 °F):	<5 hPa (<3.8 mm Hg)
Density at 20 °C (68 °F):	0.97 g/cm³ (8.095 lbs/gal) (DIN EN ISO 2811-1)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	200 mPas
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
	0 g/l / 0.0 lb/gal
Solids content (weight-%):	100.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

(Contd. on page 6)

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

1	4	Т	ra	ns	0	0	rt	İ	n	fo	וכ	11	n	a	ti	O	n
					L												

IIN Number

DOT, ADR, IMDG, IATA	UN2735
· UN proper shipping name	

DOT Amines, liquid, corrosive, n.o.s. (2,4,6-tris(dimethylaminomethyl)phenol)

• ADR UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-tris(dimethylaminomethyl)phenol)

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

Transport hazard class(es) DOT Class 8 Corrosive substate 8 ADR Class 8 (C7) Corrosive substate 8 IMDG, IATA Class 8 Corrosive substate 8 IMDG, IATA Class 8 Corrosive substate 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Alkalis Stowage Category A Segregation groups Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) 5L	(Contd. of page
Class 8 (C7) Corrosive substate 8 ADR Class 8 (C7) Corrosive substate 8 Class 8 (C7) Corrosive substate 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive Hazard identification number (Kemler code): 80 EMS Number: F-A, S-B Alkalis Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separe" Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) 5L	D, CORROSIVE, N.O.S. (2,4,0 omethyl)phenol)
Class Label ADR Class Label R Class Label Class Label R Corrosive substate R R Corrosive substate R R R Corrosive substate R R Corro	
Label 8 ADR Class 8 (C7) Corrosive s Label 8 IMDG, IATA Class 8 Corrosive substate Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A, S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L	
ADR Class	
Label 8 ADR Class 8 (C7) Corrosive s Label 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separe Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L	
Label 8 ADR Class 8 (C7) Corrosive s Label 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Alkalis Stowage Category A Segregation groups Stowage Category A Segregation Code SG35 Stow "separe" Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L IMDG	ances
Class Label IMDG, IATA Class Label Recking group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Segregation groups Alkalis Stowage Category Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Label 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L IMDG	
Label 8 IMDG, IATA Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separe" Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L	
Class 8 Corrosive substate 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separe Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L	substances
Class 8 Corrosive substated 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Warning: Corrosive Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separe Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L IMDG	
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Packing group DOT, ADR, IMDG, IATA Environmental hazards: Marine pollutant: No Special precautions for user Hazard identification number (Kemler code): Segregation groups Stowage Category Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) IIII	
Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Alkalis Stowage Category A Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) IMDG	ances
Marine pollutant: Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups Alkalis Stowage Category A Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups Alkalis Stowage Category Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L	
EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L IMDG	e substances
Segregation groups Stowage Category Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Stowage Category Segregation Code SG35 Stow "separ Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) IMDG	
Segregation Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) IMDG	
MARPOL73/78 and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) IMDG	rated from" SGG1-acids
ADR Limited quantities (LQ) 5L IMDG	
Limited quantities (LQ) 5L IMDG	
· Limited quantities (LQ) 5L · IMDG	
IMDG	
UN "Model Regulation": UN 2735 AMINES	S, LIQUID, CORROSIVE, N.O. IMETHYLAMINOMETHYI

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 7)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or

No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

2,4,6-tris(dimethylaminomethyl)phenol

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 9)

acc. to OSHA HCS



Printing date 06/28/2021 Reviewed on 06/21/2021

Trade name: Mipa EP-Accelerator

(Contd. of page 8)

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Contact:
- · Date of preparation / last revision 06/28/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.

-USA