

1 Identification

· **Product identifier**

· **Trade name:** *Mipa WBC 2K-Softfeellack*

· **Application of the substance / the mixture** *Paint*

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

MIPA SE

Am Oberen Moos 1

D-84051 Essenbach

Tel.: +49(0)8703-922-0

Fax.: +49(0)8703-922-100

e-mail: sdb-registratur@mipa-paints.com

www.mipa-paints.com

· **Emergency telephone number:**

International: 011 49(0)700 24112112 (MIP)

US: +1 872 5888271 (MIP)

US Emergency Telephone Number (for transportation incidents only): 1-800-535-5053 (Infotrac)

Mipa USA Inc.
13 American Way Suite 15
USA - NJ 08884 Spotswood
Tel.: +1 7324169590
e.mail: info@mipa-usa.com

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS08

· **Signal word** *Warning*

· **Hazard-determining components of labeling:**

4-hydroxy-4-methylpentan-2-one

· **Hazard statements**

H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.


P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 0

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

25322-68-3	Polyethylene glycol	2.5-<10%
123-42-2	4-hydroxy-4-methylpentan-2-one	≥0.1-<2.5%
111-76-2	2-butoxyethanol	<1%
121-44-8	triethylamine	<1%
108-01-0	2-dimethylaminoethanol	<1%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

25322-68-3	Polyethylene glycol	30 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	150 ppm
111-76-2	2-butoxyethanol	60 ppm
121-44-8	triethylamine	1 ppm
108-01-0	2-dimethylaminoethanol	3.7 ppm

· **PAC-2:**

25322-68-3	Polyethylene glycol	1,300 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	350 ppm
111-76-2	2-butoxyethanol	120 ppm
121-44-8	triethylamine	170 ppm
108-01-0	2-dimethylaminoethanol	12 ppm

· **PAC-3:**

25322-68-3	Polyethylene glycol	7,700 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	2100* ppm
111-76-2	2-butoxyethanol	700 ppm
121-44-8	triethylamine	1,000 ppm
108-01-0	2-dimethylaminoethanol	72 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Protect from frost.
Keep receptacle tightly sealed.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 4)

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 3)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

25322-68-3 Polyethylene glycol

WEEL Long-term value: 10 mg/m³
(H); MW>200

123-42-2 4-hydroxy-4-methylpentan-2-one

PEL Long-term value: 240 mg/m³, 50 ppm

REL Long-term value: 240 mg/m³, 50 ppm

TLV Long-term value: 10 ppm

111-76-2 2-butoxyethanol

PEL Long-term value: 240 mg/m³, 50 ppm
Skin

REL Long-term value: 24 mg/m³, 5 ppm
Skin

TLV Long-term value: 97 mg/m³, 20 ppm
BEI, A3

121-44-8 triethylamine

PEL Long-term value: 100 mg/m³, 25 ppm

TLV Short-term value: 4.14 mg/m³, 1 ppm
Long-term value: 2.07 mg/m³, 0.5 ppm
Skin, A4

· **Ingredients with biological limit values:**

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· **Breathing equipment:**

Use suitable respiratory protective device only when aerosol or mist is formed.

· **Protection of hands:**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore

(Contd. on page 5)

Printing date 01/29/2026

Reviewed on 01/29/2026

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 4)

to be checked prior to the application.

· **Breakthrough time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Fluid

Color:

According to product specification

· **Odor:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

Melting point/Melting range:

Undetermined.

Boiling point/Boiling range:

100 °C (212 °F)

· **Flash point:**

Not applicable.

· **Flammability:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **Ignition temperature:**

Product is not selfigniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Explosion limits:**

Lower:

Not determined.

Upper:

Not determined.

· **Vapor pressure at 20 °C (68 °F):**

23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):**

1.047 g/cm³ (8.737 lbs/gal) (DIN EN ISO 2811-1)

· **Relative density**

Not determined.

· **Vapor density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with**

Water:

Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:

Not determined.

Kinematic at 20 °C (68 °F):

120-130 s (DIN 53211/4)

· **Solvent content:**

VOC content:

3.83 %

134 g/l / 1.1 lb/gal

Solids content (weight-%):

29.3 %

· **Other information**

No further relevant information available.

USA

(Contd. on page 6)

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 5)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

123-42-2 4-hydroxy-4-methylpentan-2-one

Oral	LD50	4,000 mg/kg (rat)
Dermal	LD50	13,630 mg/kg (rab)

111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
		1,746 mg/kg (rat)
Dermal	LD50	2,270 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)
		mg/l (rat)

121-44-8 triethylamine

Oral	LD50	100 mg/kg (ATE)
		730 mg/kg (rat)
Dermal	LD50	300 mg/kg (ATE)
		580 mg/kg (rabbit)
Inhalative	LC50/4 h	7.2 mg/l (ATE)
		4.13 mg/l (rat)

108-01-0 2-dimethylaminoethanol

Oral	LD50	1,183 mg/kg (rat)
Dermal	LD50	1,219 mg/kg (rabbit)
Inhalative	LC50/4 h	6.1 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	Titanium dioxide	2B
111-76-2	2-butoxyethanol	3

(Contd. on page 7)

Printing date 01/29/2026

Reviewed on 01/29/2026

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 6)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR/RID/ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **DOT, ADR/RID/ADN, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **DOT, ADR/RID/ADN, ADN, IMDG, IATA**

· **Class** Void

· **Packing group**

· **DOT, ADR/RID/ADN, IMDG, IATA** Void

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Not applicable.

(Contd. on page 8)

USA

Printing date 01/29/2026

Reviewed on 01/29/2026

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 7)

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

7664-41-7	ammonia, anhydrous
-----------	--------------------

- **Section 313 (Specific toxic chemical listings):**

111-76-2	2-butoxyethanol
----------	-----------------

121-44-8	triethylamine
----------	---------------

- **Hazardous Air Pollutants**

121-44-8	triethylamine
----------	---------------

- **Proposition 65**

- **Chemicals known to cause cancer:**

13463-67-7	Titanium dioxide
------------	------------------

103-11-7	2-ethylhexyl acrylate
----------	-----------------------

111-42-2	2,2'-iminodiethanol
----------	---------------------

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

107-21-1	Ethanediol
----------	------------

- **Cancerogenity categories**

- **EPA (Environmental Protection Agency)**

111-76-2	2-butoxyethanol	NL
----------	-----------------	----

- **TLV (Threshold Limit Value)**

111-76-2	2-butoxyethanol	A3	<1%
----------	-----------------	----	-----

121-44-8	triethylamine	A4	<1%
----------	---------------	----	-----

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	Titanium dioxide
------------	------------------

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Warning

(Contd. on page 9)

USA

Trade name: Mipa WBC 2K-Softfeellack

(Contd. of page 8)

· **Hazard-determining components of labeling:**

4-hydroxy-4-methylpentan-2-one

· **Hazard statements**

H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

· **Precautionary statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:**

Class	Share in %
I	2.5-<10
NK	<1

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:**

· **Date of preparation / last revision** 01/29/2026 / 7

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Toxic to Reproduction 2: Reproductive toxicity – Category 2

· *** Data compared to the previous version altered.**